Stroke Deaths

Stroke Deaths

- Most recent data (2012): 29.3 deaths per 100,000, including 570 deaths.
 Trend over time: 2000-02: flat; 2002-12: falling
 Description: Deaths from cerebrovascular disease (i.e. stroke)

Stroke deaths, King County, 2008-2012 average

	Rate	Lower CI	Upper CI	Count per Year
King County (all ages)	33.2	32.0	34.4	619
AGE	,		,	
<18	0.4 §	0.2 §	0.8 §	2
18-24	0.0	0.0	0.4	0
25-44	1.6	1.2	2.1	10
45-64	13.0	11.6	14.5	67
65+	255.8	246.2	265.6	541
GENDER				
Male	33.5	31.6	35.5	246
Female	32.4	30.9	34.0	373
RACE/ETHNICITY				
AIAN	51.7	31.4	81.0	5
Asian	36.3	32.6	40.3	73
Black	41.7	35.1	49.4	31
Hispanic	24.3	17.4	33.2	10
Multiple	12.1	5.8	22.8	3
NHPI	51.4	26.1	98.8	3
White	32.0	30.7	33.3	504
NEIGHBORHOOD POVERTY				
High	39.1	35.5	43.0	88
Medium	33.4	32.0	34.9	412
Low	29.4	27.1	31.9	118
REGION				
East	30	27.8	32.3	143
North	36.1	31.9	40.9	57
Seattle	31.8	29.8	33.9	202
South	36.0	33.8	38.2	216

Comparisons:

Higher than King County rate (yellow)

Lower than King County rate (green)

Notes:

Source: WAState DOH, Center for Health Statistics, Death Certificates.

Prepared by Public Health - Seattle & King County, APDE, 01/2015.

'Rate = cases per 100,000 population, age-adjusted to the 2000 US population.


Cl is 95% Confidence Interval.

* Too few cases to protect confidentiality and/or report reliable rates.

 \S Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Stroke deaths King County, 2008-2012 average



Source: WA State DOH, Center for Health Statistics, Death Certificates.

Prepared by Public Health - Seattle & King County, APDE, 01/2015. ^Rate = cases per 100,000 population, age-adjusted to the 2000 US population.

§ Too few cases to meet precision standard, interpret with caution. Persons of Hispanic ethnicity can be of any race and are included in the racial categories. Poverty = Neighborhood poverty levels defined by median household income.

^{|-----|} Confidence interval shows range that includes true value 95% of the time.
* Too few cases to protect confidentiality and/or report reliable rates.

Stroke deaths by comparison areas

The Healthy People 2020 Objective for stroke deaths is 34/100,000.

	Latest Available Year	Rate	Lower CI	Upper CI
United States	2010	39.1	N/A	N/A
WA State	2012	35.5	34.2	37.0
King County	2012	29.3	26.9	31.9


Source: WAState DOH, Center for Health Statistics, Death Certificates. Prepared by Public Health - Seattle & King County, APDE, 01/2015.

'ARate = cases per 100,000 population, age-adjusted to the 2000 US population.

N/A: Not available.

CI is 95% Confidence Interval.

Stroke deaths by comparison areas



Source: WA State DOH, Center for Health Statistics, Death Certificates. Prepared by Public Health - Seattle & King County, APDE, 01/2015.
^Rate = cases per 100,000 population, age-adjusted to the 2000 US population.
|-----| Confidence interval shows range that includes true value 95% of the time.

Stroke deaths by health reporting areas, King County, 2008-2012 average

	Rate	Lower CI	Upper CI	Count per Year
King County (all ages)	33.2	32.0	34.4	619
Auburn	44.6	37.0	53.3	25
Aubum-North	40.8	31.9	51.4	15
Auburn-South	52.4	38.8	69.4	10
Bear Creek/Camation/Duvall	26.9	19.4	36.6	10
Bellevue	28.2	24.6	32.3	45
Bellevue-Central	28.0	21.2	36.7	12
Bellevue-NE	34.0	26.2	43.6	13
Bellevue-South	31.2	22.7	42.5	9
Bellevue-West	23.6	17.5	32.1	10
Black Diamond/Enumclaw/SE County	35.9	28.1	45.5	15
Bothell/Woodinville	25.8	18.8	34.9	10
Burien	36.6	29.3	45.2	18
Covington/Maple Valley	22.7	15.7	31.9	7
Des Moines/Normandy Park	28.9	22.9	36.4	18
East Federal Way	33.2	23.8	45.3	9
Fairwood	38.7	24.9	57.8	5
Federal Way	40	33.7	47.2	29
Fed Way-Central/Military Rd	45.5	37.3	55.1	29 23
Fed Way-Central/Military RdFed Way-Dash Point/Woodmont	45.5 28.3		-	7
<u> </u>		19.4	40	
Issaquah	36.0	28.0	46.3	16
Kenmore/LFP	33.4	25.5	43.1	12
Kent	31.3	26.1	37.2	27
Kent-East	33.4	23.7	45.8	8
Kent-SE	31.0	23.9	39.6	14
Kent-West	27.6	17.5	42.2	5
Kirkland	32.4	26.6	39.2	23
Kirkland	36.5	28.8	45.9	16
Kirkland North	26.1	17.9	37.0	7
Mercer Isle/Pt Cities	31.4	25.0	40.6	17
Newcastle/Four Creeks	32.5	22.2	46.3	7
North Highline	36.1	23.3	54.2	5
Redmond	30.7	24.0	39.0	17
Renton	43.2	37.5	49.6	43
Renton-East	42.1	30	57.7	8
Renton-North	28.6	20.2	39.5	8
Renton-South	53.4	44.5	63.5	27
Sammamish	20.3	11.6	33.1	3
SeaTac/Tukwila	35.0	26.6	45.5	12
Seattle	31.8	29.8	33.9	202
Ballard	36.6	28.9	46.0	16
Beacon/Gtown/S.Park	39.6	31.3	49.4	16
Capitol Hill/E.lake	22.8	16.3	32.1	8
Central Seattle	38.7	30.5	48.7	16
Delridge	37.4	26.7	51.3	8
Downtown	28.2	22.2	42.5	16
Fremont/Greenlake	33.8	25.3	44.8	13
NE Seattle	21.0	15.9	27.3	12
North Seattle	27.3	21.1	35.2	15
NW Seattle	32.9	26.3	41.3	20
QA/Magnolia	20.6	15.7	27.1	13
SE Seattle	45.9	37.1	56.2	20
West Seattle	36.8	30.6	44.6	28
Shoreline	42.9	36.5	50.4	34
Snoqualmie/North Bend/Skykomish	32.4	22.0	46.2	6
	JE		10.2	

Comparisons:

Higher than King County rate (yellow)

Lower than King County rate (green)

Notes

Source: WAState DOH, Center for Health Statistics, Death Certificates.

Prepared by Public Health - Seattle & King County, APDE, 01/2015.

^Rate = cases per 100,000 population, age-adjusted to the 2000 US population.


CI is 95% Confidence Interval.

 * Too few cases to protect confidentiality and/or report reliable rates.

 \S Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Stroke deaths by health reporting areas King County, 2008-2012 average




Note: HRA labels on the map match the chart on the right, listed in alphabetical order Source: WA State DOH, Center for Health Statistics, Death Certificates.

Prepared by Public Health - Seattle & King County, APDE, 01/2015.

*Rate = cases per 100,000 population, age-adjusted to the 2000 US population.

Stroke deaths
King County, 2000-2012, three-year rolling averages



Source: WA State DOH, Center for Health Statistics, Death Certificates. Prepared by Public Health - Seattle & King County, APDE, 01/2015.
^Rate = cases per 100,000 population, age-adjusted to the 2000 US population.

Produced by the <u>Assessment, Policy Development & Evaluation Unit</u> <u>Public Health - Seattle & King County</u> 01/15

